

Supplementary Table to Kawao et al. “Urokinase-type plasminogen activator and plasminogen mediate activation of macrophage phagocytosis during liver repair *in vivo*” (Thromb Haemost 2012; 107.4)

Suppl. Table 1: Primer used for real-time PCR experiments.

Gene		Primer sequence
INF- γ	Forward	5'-GCATAGATGTGGAAGAAAAGAGTCTCT-3'
	Reverse	5'-TGGCTCTGCAGGATTTTCATG-3'
IL-4	Forward	5'-ACAGGAGAAGGGACGCCAT-3'
	Reverse	5'-GAAGCCCTACAGACGAGCTCA-3'
TNF- α	Forward	5'-CCCAGACCCTCACACTCAGATC-3'
	Reverse	5'-GCCACTCCAGCTGCTCCTC-3'
IL-1 β	Forward	5'-GGTCAAAGGTTTGAAGCAG-3'
	Reverse	5'-TGTGAAATGCCACCTTTTGA-3'
Ym1/2	Forward	5'-TTATCCTGAGTGACCCTTCTAAG-3'
	Reverse	5'-TCATTACCCTGATAGGCATAGG-3'
MGL-1	Forward	5'-TGAGAAAGGCTTTAAGAACTGGG-3'
	Reverse	5'-GACCACCTGTAGTGATGTGGG-3'
CCL3	Forward	5'-CCTCTGTCACCTGCTCAACA-3'
	Reverse	5'-GATGAATTGGCGTGGAATCT-3'
CCL4	Forward	5'-CCCCTTCCTGCTGTTTCTC-3'
	Reverse	5'-GAGGAGGCCTCTCCTGAAGT-3'
GAPDH	Forward	5'-AGGTCGGTGTGAACGGATTTG-3'
	Reverse	5'-GGGGTCGTTGATGGCAACA-3'